JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 40

AUTHOR INDEX

		No.	Page
1.	ADDICOTT, WARREN O., New Tertiary marine mollusks from Oregon and Washington	3	635
2.	AMSDEN, THOMAS W., *Microcardinalia protriplesiana*, a new species of stricklandiid brachiopod, with a discussion on its phylogenetic position	5	1009
3.	ANDERSON, M. M., BOUCOT, A. J., and JOHNSON, J. G., Devonian terebratulid brachiopods from the Accraian Series of Ghana	6	1365
4.	ANDERSON, WAYNE I., Upper Devonian conodonts and the Devonian—Mississippian boundary of north-central Iowa	2	395
5.	AUFFENBERG, WALTER, A New species of Pliocene tortoise, genus *Geochelone*, from Florida	4	877
6.	AVNIMELECH, M. A., A New medusoid fossil from the Lower Carboniferous of Egypt (paleontological note)	3	742
7.	BAIRD, DONALD, and CASE, GERARD R., Rare marine reptiles from the Cretaceous of New Jersey	5	1211
8.	BARNETT, STOCKTON G., KOHUT, JOSEPH J., RUST, CLAUDE C., and SWEET, WALTER C., Conodonts from Nowshera reef limestones (uppermost Silurian or lowermost Devonian), West Pakistan (paleontological note)	2	435
9.	BAYER, THOMAS N., *Desmograptus cancellatus* in the Maquoketa Formation (Ordovician) of Minnesota (paleontological note)	2	446
10.	BAYER, THOMAS N., *Astylospongia* from the Maquoketa Formation in Minnesota (paleontological note)	6	1387
11.	BENSON, RICHARD H., Designation of ostracode lectotypes (paleontological note)	3	745
12.	BERGER, W. H., Distinguishing juvenile foraminifera in plankton samples by using biological dyes (paleontological note)	4	975
	BERGSTRÖM, STIG M., see SWEET, WALTER C. (149)		
13.	BERRY, WILLIAM B. N., *Climacograptus hastatus* T. S. Hall—its lectotype and some local populations	1	162
14.	BERRY, WILLIAM B. N., *Orthograptus truncatus richmondensis* (Ruedemann) in the Arnheim Formation (Ordovician) of Indiana (paleontological note)	6	1392
15.	BERRY, WILLIAM B. N., and GUPTA, V. J., Monograptids from the Kashmir Himalayas	6	1338
16.	BHALLA, S. N., Foraminifera from the Infra-Trappean beds of the Pangadi area, India	2	343
	BIRD, KENNETH J., see CLARK, DAVID L. (37)		
17.	BOARDMAN, RICHARD S., Use of the national collections of invertebrate fossils, Smithsonian Institution (announcement)	6	1413
18.	BOARDMAN, RICHARD S., and UTGAARD, JOHN, A Revision of the Ordovician bryozoan genera *Monticulipora*, *Peronopora*, *Heterotrypa*, and *Dekayia*	5	1082
19.	VAN DEN BOLD, W. A., Ostracoda of the Pozon section, Falcón, Venezuela	1	177
20.	VAN DEN BOLD, W. A., Homonyms of *Bairdia elongata* and *Bythocypris elongata* (nomenclatural note)	1	222
21.	VAN DEN BOLD, W. A., Ostracoda from the Antigua Formation (Oligocene, Lesser Antilles) (paleontological note)	5	1233
22.	BOLTOVSKOY, ESTEBAN, Methods for sorting of foraminifera from plankton samples (technique)	5	1244
23.	BOUCOT, A. J., and GAURI, K. L., *Quadrikentron* (Brachiopoda) a new subgenus of *Strophochonetes*	5	1023
24.	BOUCOT, A. J., and JOHNSON, J. G., *Ehlersella*, a new Silurian stricklandiid brachiopod genus	3	569
25.	BOUCOT, A. J., and JOHNSON, J. G., *Lissocoelina* and its homeomorph *Plicocoelina* n. gen. (Silurian, Pentameracea)	5	1037
26.	BOUCOT, A. J., JOHNSON, J. G., and JONES, C. R., Silurian brachiopods from Malaya	5	1027
27.	BOUCOT, A. J., JOHNSON, J. G., and STRUVE, WOLFGANG, *Stringocephalus*, ontogeny and distribution	6	1349
	BOUCOT, A. J., see ANDERSON, M. M. (3)		
	BOUCOT, A. J., see ZIEGLER, A. M. (172)		
28.	BOWEN, ZEDDIE PAUL, *Boucotella*, a new Silurian rhynchonelloid brachiopod genus	1	186
29.	BOWEN, ZEDDIE PAUL, Intraspecific variation in the brachial cardinalia of *Atrypa reticularis*	5	1017
30.	BOWEN, ZEDDIE PAUL, Brachiopods and stratigraphy of the Elbow Ridge Sandstone (Lower Devonian) of Pennsylvania, Maryland, and West Virginia	5	1051
31.	BRIDEAUX, W. W., A Double layer mounting technique for aqueous palynological residues (technique)	1	224
32.	BROWER, JAMES C., Functional morphology of Calceocrinidae with description of some new species	3	613
33.	BRUSH, GRACE S., The Absence of pollen and spores in some Triassic sediments (paleontological	5	1241
34.	BUZAS, MARTIN A., The Discrimination of morphological groups of *Elphidium* (foraminifer) in Long Island Sound through canonical analysis and invariant characters	3	585

JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 40

AUTHOR INDEX

		No.	Page
1.	ADDICOTT, WARREN O., New Tertiary marine mollusks from Oregon and Washington	3	635
2.	AMSDEN, THOMAS W., *Microcardinalia protriplesiana*, a new species of stricklandiid brachiopod, with a discussion on its phylogenetic position	5	1009
3.	ANDERSON, M. M., BOUCOT, A. J., and JOHNSON, J. G., Devonian terebratulid brachiopods from the Accraian Series of Ghana	6	1365
4.	ANDERSON, WAYNE I., Upper Devonian conodonts and the Devonian—Mississippian boundary of north-central Iowa	2	395
5.	AUFFENBERG, WALTER, A New species of Pliocene tortoise, genus *Geochelone*, from Florida	4	877
6.	AVNIMELECH, M. A., A New medusoid fossil from the Lower Carboniferous of Egypt (paleontological note)	3	742
7.	BAIRD, DONALD, and CASE, GERARD R., Rare marine reptiles from the Cretaceous of New Jersey	5	1211
8.	BARNETT, STOCKTON G., KOHUT, JOSEPH J., RUST, CLAUDE C., and SWEET, WALTER C., Conodonts from Nowshera reef limestones (uppermost Silurian or lowermost Devonian), West Pakistan (paleontological note)	2	435
9.	BAYER, THOMAS N., *Desmograptus cancellatus* in the Maquoketa Formation (Ordovician) of Minnesota (paleontological note)	2	446
10.	BAYER, THOMAS N., *Astylospongia* from the Maquoketa Formation in Minnesota (paleontological note)	6	1387
11.	BENSON, RICHARD H., Designation of ostracode lectotypes (paleontological note)	3	745
12.	BERGER, W. H., Distinguishing juvenile foraminifera in plankton samples by using biological dyes (paleontological note)	4	975
	BERGSTRÖM, STIG M., see SWEET, WALTER C. (149)		
13.	BERRY, WILLIAM B. N., *Climacograptus hastatus* T. S. Hall—its lectotype and some local populations	1	162
14.	BERRY, WILLIAM B. N., *Orthograptus truncatus richmondensis* (Ruedemann) in the Arnheim Formation (Ordovician) of Indiana (paleontological note)	6	1392
15.	BERRY, WILLIAM B. N., and GUPTA, V. J., Monograptids from the Kashmir Himalayas	6	1338
16.	BHALLA, S. N., Foraminifera from the Infra-Trappean beds of the Pangadi area, India	2	343
	BIRD, KENNETH J., see CLARK, DAVID L. (37)		
17.	BOARDMAN, RICHARD S., Use of the national collections of invertebrate fossils, Smithsonian Institution (announcement)	6	1413
18.	BOARDMAN, RICHARD S., and UTGAARD, JOHN, A Revision of the Ordovician bryozoan genera *Monticulipora*, *Peronopora*, *Heterotrypa*, and *Dekayia*	5	1082
19.	VAN DEN BOLD, W. A., Ostracoda of the Pozon section, Falcón, Venezuela	1	177
20.	VAN DEN BOLD, W. A., Homonyms of *Bairdia elongata* and *Bythocypris elongata* (nomenclatural note)	1	222
21.	VAN DEN BOLD, W. A., Ostracoda from the Antigua Formation (Oligocene, Lesser Antilles) (paleontological note)	5	1233
22.	BOLTOVSKOY, ESTEBAN, Methods for sorting of foraminifera from plankton samples (technique)	5	1244
23.	BOUCOT, A. J., and GAURI, K. L., *Quadrikentron* (Brachiopoda) a new subgenus of *Strophochonetes*	5	1023
24.	BOUCOT, A. J., and JOHNSON, J. G., *Ehlersella*, a new Silurian stricklandiid brachiopod genus	3	569
25.	BOUCOT, A. J., and JOHNSON, J. G., *Lissocoelina* and its homeomorph *Plicocoelina* n. gen. (Silurian, Pentameracea)	5	1037
26.	BOUCOT, A. J., JOHNSON, J. G., and JONES, C. R., Silurian brachiopods from Malaya	5	1027
27.	BOUCOT, A. J., JOHNSON, J. G., and STRUVE, WOLFGANG, *Stringocephalus*, ontogeny and distribution	6	1349
	BOUCOT, A. J., see ANDERSON, M. M. (3)		
	BOUCOT, A. J., see ZIEGLER, A. M. (172)		
28.	BOWEN, ZEDDIE PAUL, *Boucotella*, a new Silurian rhynchonelloid brachiopod genus	1	186
29.	BOWEN, ZEDDIE PAUL, Intraspecific variation in the brachial cardinalia of *Atrypa reticularis*	5	1017
30.	BOWEN, ZEDDIE PAUL, Brachiopods and stratigraphy of the Elbow Ridge Sandstone (Lower Devonian) of Pennsylvania, Maryland, and West Virginia	5	1051
31.	BRIDEAUX, W. W., A Double layer mounting technique for aqueous palynological residues (technique)	1	224
32.	BROWER, JAMES C., Functional morphology of Calceocrinidae with description of some new species	3	613
33.	BRUSH, GRACE S., The Absence of pollen and spores in some Triassic sediments (paleontological	5	1241
34.	BUZAS, MARTIN A., The Discrimination of morphological groups of *Elphidium* (foraminifer) in Long Island Sound through canonical analysis and invariant characters	3	585

35. CAMP, C. L., and KOCH, JOHN G., Late Jurassic ichthyosaur from coastal Oregon (paleontological note) ... 1 204
CASE, GERARD R., see BAIRD, DONALD (7)
36. CASSITY, PAUL E., and LANGENHEIM, R. L., JR., Pennsylvanian and Permian fusulinids of the Bird Spring Group from Arrow Canyon, Clark County, Nevada ... 4 931
37. CLARK, DAVID L., and BIRD, KENNETH J., Foraminifera and paleoecology of the upper Austin and lower Taylor (Cretaceous) strata in north Texas ... 2 315
38. CLARK, DAVID L., and ETHINGTON, RAYMOND L., Conodonts and biostratigraphy of the Lower and Middle Devonian of Nevada and Utah ... 3 659
39. CLARK, DAVID L., and MOSHER, L. CAMERON, Stratigraphic, geographic, and evolutionary development of the conodont genus *Gondolella* ... 2 376
40. CLARK, JOHN, Status of the generic names *Metacodon* and *Geolabis* [Insectivore] (nomenclatural note) ... 5 1248
41. COCKBAIN, A. E., An Attempt to measure the relative biostratigraphic usefulness of fossils (paleontological note) ... 1 206
42. COOGAN, A. H., *Eubiradiolites*, new name for a radiolitid rudist genus, and the status of *Biradiolites*, *Durania*, and *Synodontites* (Mollusca: Bivalvia) (nomenclatural note) ... 3 763
43. CREATH, WILGUS B., and SHAW, ALAN B., Paleontology of northwestern Vermont. XIII. *Isochilina* from the Ordovician Highgate Formation ... 6 1331
44. DAILY, FAY KENOYER, and DURHAM, J. WYATT, Miocene charophytes from Ixtapa, Chiapas, Mexico ... 5 1191
45. DALQUEST, WALTER W., An Unusual Paleonisciform fish from the Permian of Texas (paleontological note) ... 3 759
DANNER, W. R., see JOHNSON, J. HARLAN (85)
46. DAVIDSON, EDWARD, A New Paleocene crab from Texas (paleontological note) ... 1 211
DENISON, ROBERT H., see ROLFE, W. D. IAN (128)
47. DOUGLASS, R. C., Los foraminiferos recientes: Biologia, metodos de estudio, aplicacion oceanografica, by Esteban Boltovskoy (review) ... 3 765
DOUMANI, GEORGE A., see MCALESTER, A. LEE (103)
48. DUNN, D. L., New Pennsylvanian platform conodonts from southwestern United States ... 6 1294
49. DURDEN, CHRISTOPHER J., Oligocene lake deposits in central Colorado and a new fossil insect locality (paleontological note) ... 1 215
DURDEN, CHRISTOPHER J., see VOGEL, BEATRICE R. (158)
50. DURHAM, J. WYATT, *Camptostroma*, an Early Cambrian supposed Scyphozoan, referable to Echinodermata (paleontological note) ... 5 1216
DURHAM, J. WYATT, see DAILY, FAY KENOYER (44)
ECHOLS, DOROTHY JUNG, see STINCHCOMB, BRUCE L. (146)
EISELE, C. R., see FAGERSTROM, J. A. (52)
ETHINGTON, RAYMOND L., see CLARK, DAVID L. (38)
51. FAGERSTROM, J. A., Biostratigraphic significance of rhipidomellid brachiopods in the Detroit River Group (Devonian) (paleontological note) ... 5 1236
52. FAGERSTROM, J. A., and EISELE, C. R., Morphology and classification of the rugose coral *Pseudozaphrentoides verticillatus* (Barbour) from the Pennsylvanian of Nebraska ... 3 595
53. FRITZ, MADELEINE A., *Diplotrypa schucherti*, a new bryozoan species from the Long Point Formation (Ordovician), western Newfoundland ... 6 1335
54. FROST, S. H., and LANGENHEIM, R. L., JR., Paleontology of the *Stringocephalus* biostrome, Piute Formation (Middle Devonian), Arrow Canyon Range, Clark County, Nevada ... 4 911
55. FURNISH, W. M., and KNAPP, W. D., Lower Pennsylvanian fauna from eastern Kentucky; part 1, ammonoids ... 2 296
GAURI, K. L., see BOUCOT, A. J. (23)
56. GAUTIER, A., *Camelus thomasi* from the northern Sudan and its bearing on the relationship of *C. thomasi—C. bactrianus* ... 6 1368
57. GLENISTER, BRIAN F., and KLAPPER, GILBERT, Upper Devonian conodonts from the Canning Basin, Western Australia ... 4 777
58. GOBBETT, D. J., The Brachiopod genus *Stringocephalus* from Malaya ... 6 1345
59. GORDON, MACKENZIE, JR., Classification of Mississippian coleoid cephalopods (paleontological note) ... 2 449
60. GORDON, MACKENZIE, JR., New spinose early Meramec (Upper Mississippian) productoid brachiopods ... 3 573
61. GORDON, MACKENZIE, JR., An Upper Triassic bactritoid cephalopod from California (paleontological note) ... 5 1220
62. GOULD, STEPHEN JAY, Allometry in Pleistocene land snails from Bermuda: the influence of size upon shape ... 5 1131
63. GRANT, RICHARD E., Spine arrangement and life habits of the productoid brachiopod *Waageneoconcha* ... 5 1063
64. GREELEY, RONALD, Lectotypes of some lunulitiform bryozoan species (Canu & Bassler, 1920) nomenclatural note) ... 4 969
GUPTA, V. J., see BERRY, WILLIAM, B. N. (15)
65. GUTHRIE, R. D., Bison horn cores—character choice and systematics (paleontological note) ... 3 738
66. HAAS, OTTO, Recent literature on Mesozoic ammonites—Part VII ... 5 1070
67. HABIB, DANIEL, RIEGEL, WALTER, and SPACKMAN, WILLIAM, Relationship of spore and pollen assemblages in the lower Kittanning Coal to overlying faunal facies (paleontological note) ... 3 756
68. HALL, CLARENCE A., JR., *Archaeopneustes moorfieldi*, a new Pliocene spatangoid echinoid from the San Luis Obispo area, California ... 5 1123

69. HAZEL, JOSEPH E., Ostracods as ecological and palaeoecological indicators (review) 1 227
HEINRICH, M. ALLEN, see YOUNGQUIST, WALTER (171)
HERRINGTON, H. B., see ZOLTAI, S. C. (173)
70. HOARE, R. D., New name for *Cornwallia* Hoare, 1964, and a new species of *Bayhaium* from northern Nevada 1 148
71. HOFMANN, H. J., and PARSLEY, R. L., Antennae of *Ogygopsis* (paleontological note) 1 209
72. HOLDEN, JOHN C., Transfer of west coast Upper Cretaceous ostracod types (notice) 5 1252
73. HOROWITZ, ALAN S., Introduction to paleoecology (review) 6 1411
74. HOWE, HERBERT J., Orthacea from the Montoya Group (Ordovician) of Trans-Pecos Texas .. 2 241
75. HOWE, HERBERT J., The Brachiopod genus *Lepidocyclus* from the Cape (Fernvale) Limestone (Ordovician) of Oklahoma and Missouri 2 258
76. HOWE, HERBERT J., Treatise on invertebrate paleontology: Part H, Brachiopoda (review) 4 981
77. HOWE, JOHN A., The Oligocene rodent *Ischyromys* in Nebraska 5 1200
78. HOWE, W. B., Digitate algal stromatolite structures from the Cambrian and Ordovician of Missouri 1 64
79. HOWELL, B. F., New Upper Cretaceous sponge from Puerto Rico (paleontological note) 1 207
80. HUNT, ALLEN S., Submarginal suture and ventral plate of an agnostid trilobite (paleontological note) 5 1238
81. JOHNSON, J. G., Two new spiriferid brachiopod genera from the Lower Devonian of Nevada. 5 1043
JOHNSON, J. G., see ANDERSON, M. M. (3)
JOHNSON, J. G., see BOUCOT, A. J. (24, 25, 26, 27)
82. JOHNSON, J. G., and RESO, ANTHONY, Brachiopods from the Pilot Shale (Devonian) in southeastern Nevada 1 125
83. JOHNSON, J. HARLAN, The Late Cambrian algal genus *Nuia* from Brewster County, Texas (paleontological note) 2 433
84. JOHNSON, J. HARLAN, New Mississippian algae from Alberta (paleontological note) 6 1385
85. JOHNSON, J. HARLAN, and DANNER, W. R., Permian calcareous algae from northestern Washington and southwestern British Columbia 2 424
JONES, C. R., see BOUCOT, A. J. (26)
86. JONES, DAVID L., New Upper Cretaceous ammonite, *Protexanites thompsoni*, from California .. 1 199
KAY, MARSHALL, see MORRIS, ROBERT W. (107)
87. KESLING, ROBERT V., and STRIMPLE, HARRELL L., *Calliasterella americana*, a new starfish from the Pennsylvanian of Illinois 5 1157
88. KESLING, ROBERT V., and STRIMPLE, HARRELL L., Suggested growth pattern in the Mississippian (Chester) echinoid *Lepidesthes formosa* Miller 5 1167
89. KJELLESVIG-WAERING, ERIK N., Silurian scorpions of New York 2 359
90. KJELLESVIG-WAERING, Erik N., and LEUTZE, WILLARD P., Eurypterids from the Silurian of West Virginia 5 1109
KLAPPER, GILBERT, see GLENISTER, BRIAN F. (57)
KLEMENT, KARL W., see TOOMEY, DONALD FRANCIS (155)
KNAPP, W. D., see FURNISH, W. M. (55)
KNAPP, W. D., see STRIMPLE, H. L. (148)
KOCH, JOHN G., see CAMP, C. L. (35)
KOHUT, JOSEPH J., see BARNETT, STOCKTON G. (8)
91. KOZLOWSKI, ROMAN, On The structure and relationships of graptolites 3 489
LANE, H. RICHARD, see REXROAD, CARL B. (121)
92. LANE, N. GARY, and MARTIN, ROGER A., Redescription of *Chaetetes milleporaceus* Milne-Edwards & Haime, 1851 ..... 3 651
LANGENHEIM, R. L., JR., see CASSITY, PAUL E. (36)
LANGENHEIM, R. L., JR., see FROST, S. H. (54)
93. LANGSTON, WANN, JR., *Limnosceloides brachycoles* (Reptilia: Captorhinomorpha), a new species from the Lower Permian of New Mexico 3 690
LEUTZE, WILLARD P., see KJELLESVIG-WAERING, ERIK N. (90)
94. LEVIN, HAROLD L., Sur les Coccolithes du Jurassique Européen et d'Afrique du nord (review) .. 6 1409
95. LIPPS, JERE H., Wall structure, systematics, and phylogeny of Cenozoic planktonic foraminifera 6 1257
96. LOCHMAN, CHRISTINA, Lower Ordovician (Arenig) faunas from the Williston Basin, Montana and North Dakota 3 512
97. LOEBLICH, ALFRED R., JR., Planktological dictionary in five languages: English, Spanish, German, French, and Russian (review) 4 977
LOEBLICH, ALFRED R., JR., see TAPPAN, HELEN (151, 152)
98. LOKKE, DONALD H., and VAN SANT, JAN F., Upper Pennsylvanian Charophyta from Kansas (paleontological note) 4 971
99. MACURDA, DONALD B., JR., The Ontogeny of the Mississippian blastoid *Orophocrinus* 1 92
100. MARIANOS, A. W., and ZINGULA, R. P., Cretaceous planktonic foraminifers from Dry Creek, Tehama County, California 2 328
MARTIN, ROGER A., see LANE, N. GARY (92)
101. MATTEN, LAWRENCE C., Improved technique for preparing iron hydroxide plant petrifactions (technique) 1 225
102. MCALESTER, A. LEE, Investigating the Earth [preliminary edition], Earth Science Curriculum Project, 1965: American Geological Institute (review) 3 765
103. MCALESTER, A. LEE, and DOUMANI, GEORGE A., Bivalve ecology in the Devonian of Antarctica (paleontological note) 3 752

104. McGregor, D. C., Morphologic encyclopedia of palynology. An International collection of definitions and illustrations of spores and pollen (review) ... 1 227
105. McGuire, Odell S., Population studies of the ostracode genus *Polytylites* from the Chester Series ... 4 883
106. Meyerhoff, A. A., Invertebrates fosiles (review) ... 6 1411
107. Morris, Robert W., and Kay, Marshall, Ordovician graptolites from the Middle Table Head Formation at Black Cove, Port au Port, Newfoundland (paleontological note) ... 5 1223
Mosher, L. Cameron, see Clark, David L. (39)
108. Murphy, James L., The Pennsylvanian pelecypod genus *Palaeoneilo* Hall & Whitfield ... 4 867
109. Murphy, James L., The Pennsylvanian nautiloid *Kionoceras ungeri* (Sturgeon & Miller) (paleontological note) ... 6 1388
110. Nicol, David, Cope's rule and Precambrian and Cambrian invertebrates (paleontological note) ... 6 1397
111. Nitecki, Matthew H., and Rigby, J. Keith, *Vintonia doris*, a new Mississippian demosponge from Arkansas ... 6 1373
112. Oberg, Rolland, Winnipeg conodonts from Manitoba ... 1 130
113. Oliver, William A., Jr., The Geography of evolution: Collected essays by George Gaylord Simpson (review) ... 5 1247
Parsley, R. L., see Hofmann, H. J. (71)
Pauken, Robert, see Unklesbay, A. G. (156)
114. Peterson, Rex M., Ostracodes of genera *Bufina* and *Euglyphella* from the Middle Devonian of New York, Ohio, Michigan, and Ontario ... 1 1
115. Radinsky, Leonard B., *Pataecops*, new name for *Pataecus* Radinsky, 1965 (nomenclatural note) ... 1 222
116. Radinsky, Leonard B., A New genus of early Eocene tarpiroid (Mammalia, Perissodactyla) (paleontological note) ... 3 740
117. Rasetti, Franco, Revision of the North American species of the Cambrian trilobite genus *Pagetia* ... 3 502
118. Rasmussen, Leif Banke, Fauna aus dem Miocän Nordwestdeutschlands (review) ... 6 1409
119. Raup, David M., Crystallographic data for echinoid coronal plates ... 3 555
120. Raup, David M., Geometric analysis of shell coiling: general problems ... 5 1178
Reso, Anthony, see Johnson, J. G. (82)
121. Rexroad, Carl B., and Lane, H. Richard, Clarification of *Cavusgnathus alta*, type species of the conodont genus *Cavusgnathus* (paleontological note) ... 6 1391
122. Rezak, R., Fossil algae from Guatemala (review) ... 4 980
123. Rezak, R., A Review of the Cambrian algae (review) ... 4 980
124. Rich, Mark, Mississippian trilobites from northwestern Georgia ... 6 1381
Riegel, Walter, see Habib, Daniel (67)
125. Rigby, J. Keith, *Protospongia hicksi* Hinde from the Middle Cambrian of western Utah ... 3 549
126. Rigby, J. Keith, Microstructure and classification of an Ordovician sponge, *Dystactospongia madisonensis* Foerste, from Indiana ... 5 1127
Rigby, J. Keith, see Nitecki, Matthew H. (111)
127. Riva, John, Upper Lévis graptolites from Cowansville, southern Quebec (paleontological note) ... 1 220
Rocha-Campos, A. C., see Yochelson, Ellis L. (170)
128. Rolfe, W. D. Ian, and Denison, Robert H., The Supposed fish *Pseudodontichthys* Skeels, 1962, is the phyllocarid crustacean *Dithyrocaris* (paleontological note) ... 1 214
129. Ross, Charles A., Carboniferous fusulinids from the Cantabrian Mountains (Spain), by A. C. van Ginkel (review) ... 2 454
130. Ross, Charles A., and Sabins, Floyd F., Permian fusulinids from El Paso Mountains, California ... 1 155
131. Ross, June Phillips, Trepostomatous bryozoan fauna of the upper part of the Whitewater Formation (Cincinnatian) of eastern Indiana and western Ohio, by John Utgaard and T. G. Perry (review) ... 3 765
132. Ross, June Phillips, *Stictopora* Hall, 1847 (Ectoprocta, Cryptostomata), a valid name (nomenclatural note) ... 6 1400
Rust, Claude C., see Barnett, Stockton G. (8)
Sabins, Floyd F., see Ross, Charles A. (130)
133. Sandberg, Philip, The Modern ostracods *Cyprideis bensoni*, n. sp., Gulf of Mexico, and *C. castus*, Baja California (paleontological note) ... 2 447
134. Sanders, Robert B., The *Incertae sedis* group Tegmates revealed as plates of a chiton (paleontological note) ... 5 1240
135. Sanderson, G. A., A Bibliography of the family Fusulinidae, addendum 3 (bibliography) ... 6 1402
136. Schwab, Karl W., Microstructure of some fossil and Recent scolecodonts ... 2 416
137. Shaw, Alan B., Paleontology of northwestern Vermont. X. Fossils from the (Cambrian) Skeels Corners Formation ... 2 269
138. Shaw, Alan B., Paleontology of northwestern Vermont. XI. Fossils from the Middle Cambrian St. Albans Shale ... 4 843
139. Shaw, Alan B., Paleontology of northwestern Vermont. XII. Fossils from the Ordovician Highgate Formation ... 6 1312
Shaw, Alan B., see Creath, Wilgus B. (43)
Sheldon, R. P., see Ziegler, A. M. (172)
140. Shinn, E. A., Coral growth-rate, an environmental indicator ... 2 233
141. Slaughter, Bob H., The Moore Pit local fauna; Pleistocene of Texas ... 1 78

142. Souaya, F. J., *Sakesaria colleri*, an early Eocene foraminifer from Egypt 4 859
Spackman, William, see Habib, Daniel (67)
143. Stanton, Robert J., Jr., Megafauna of the upper Miocene Castaic Formation, Los Angeles County, California 1 21
144. Steineck, P. Lewis, *Gavelinella olssoni*, new name for the foraminiferal species *Cibicides compressus* Olsson, 1960 (nomenclatural note) 5 1248
145. Stewart, Wendell J., New species of the fusulinid genus *Thompsonella* and a proposed change in wall terminology 2 354
146. Stinchcomb, Bruce L., and Echols, Dorothy Jung, Missouri Upper Cambrian Monoplacophora previously considered cephalopods 3 647
147. Stover, Lewis E., *Nannoceratopsis spiculata*, a new dinoflagellate species from the Middle Jurassic of France 1 41
148. Strimple, H. L., and Knapp, W. D., Lower Pennsylvanian fauna from eastern Kentucky; part 2, crinoids 2 309
Strimple, Harrell L., see Kesling, Robert V. (87, 88)
Struve, Wolfgang, see Boucot, A. J., (27).
149. Sweet, Walter C., and Bergström, Stig M., Ordovician conodonts from Penobscot County, Maine 1 151
Sweet, Walter C., see Barnett, Stockton G. (8)
150. Tappan, Helen, Chitinozoan classification (paleontological note) 6 1394
151. Tappan, Helen, and Loeblich, Alfred R., Jr., Bibliography and index of fossil dinoflagellates and acritarchs (review) 4 977
152. Tappan, Helen, and Loeblich, Alfred R., Jr., A Descriptive index of genera of fossil Dinophyceae and Acritarcha (review) 4 978
153. Tavener-Smith, R., Ovicells in fenestrate cryptostomes of Visean age 1 190
154. Teichert, Curt, Italian expeditions to the Karakorum (K²) and Hindu Kush (review) 2 454
155. Toomey, Donald Francis, and Klement, Karl W., A Problematical micro-organism from the El Paso Group (Lower Ordovician) of West Texas 6 1304
156. Unklesbay, A. G., and Pauken, Robert, Pennsylvanian ammonoids from Alaska 6 1379
Utgaard, John, see Boardman, Richard S. (18)
van Sant, Jan F., see Lokke, Donald F. (98)
157. Vaughn, Peter Paul, *Seymouria* from the Lower Permian of southeastern Utah, and possible sexual dimorphism in that genus 3 603
158. Vogel, Beatrice R., and Durden, Christopher J., The Occurrence of stigmata in a Carboniferous scorpion 3 655
159. Wass, Robin E., A New name for *Fenestella rectangularis* (Crockford), 1949 (nomenclatural) note) 4 970
160. Whittington, H. B., Phylogeny and distribution of Ordovician trilobites (presidential address) 3 696
161. Wier, Charles E., Paläobotanische, kohlenpetrographische, und geochemische Beiträge zur Stratigraphie und Kohlengenese (review) 2 453
162. Williams, Thomas E., Permian Fusulinidae of the Franklin Mountains, New Mexico-Texas . . 5 1142
163. Winder, C. G., Conodonts from the upper Cobourg Formation (late Middle Ordovician) at Colborne, Ontario 1 46
164. Winder, C. G., Conodont zones and stratigraphic variability in Upper Devonian rocks, Ontario 6 1275
165. Woodring, W. P., *Chiodrillia squamosa*, a Miocene turrid gastropod from the Dominican Republic (paleontological note) 5 1229
166. Yochelson, Ellis L., Announcement by International Commission on Zoological Nomenclature (summary) 1 231
167. Yochelson, Ellis L., An Operculum associated with the Ordovician gastropod *Helicotoma* (paleontological note) 3 748
168. Yochelson, Ellis L., Announcement by International Commission on Zoological Nomenclature (summary) 3 768
169. Yochelson, Ellis L., Announcement of International Commission of Zoological Nomenclature (summary) 6 1416
170. Yochelson, Ellis L., and Rocha-Campos, A. C., The Late Paleozoic gastropod *Warthia* in Brazil (paleontological note) 3 750
171. Youngquist, Walter, and Heinrich, M. Allen, Late Devonian conodonts from the Lost Burro Formation of California (paleontological note) 4 974
172. Ziegler, A. M., Boucot, A. J., and Sheldon, R. P., Silurian pentameroid brachiopods preserved in position of growth 5 1032
Zingula, R. P., see Marianos, A. W. (100)
173. Zoltai, S. C., and Herrington, H. B., Late glacial molluscan fauna north of Lake Superior, Ontario (paleontological note) 2 439

SUBJECT INDEX

Acanthocythereis? kugleri: new species, ostracod (19)
Accraian Series: Devonian, Ghana, brachiopods (3)
Aforia clallamensis tricarinata: new subspecies, gastropod (1)
Aglaiella railbridgensis: lectotype designated, ostracod (11)
Alaska: Pennsylvanian ammonoids (156)

Alberta: Mississippian algae (84)
Albertaporella involuta: new genus, new species, alga (84)
Algae: Cambrian, Ordovician, Missouri, stromatolites (78); Cambrian, Texas (83); Mississippian, Alberta (84); Permian, Washington, British Columbia (85)
Alokistocarella?: new species, trilobite (137)
"Alokistocarella" albansana: new species, trilobite (138)
Ammonoids: Pennsylvanian, Kentucky (55), Alaska (156); Mesozoic, recent literature (66); Cretaceous, California (86)
Amphibians: Pleistocene, Texas (141)
Ancyrodella rotundiloba alata: new subspecies, conodont (57)
Annelids: Ordovician, Montana, North Dakota (96)
Antarctica: Devonian pelecypods (103)
Antigua Formation: Oligocene, Lesser Antilles, ostracods (21)
Archaeophonus eurypteroides: new genus, new species, scorpion (89)
Archaeopneustes moorefieldi: new species, echinoid (68)
Arkansas: Mississippian sponges (111)
Arnheim Formation: Ordovician, Indiana, graptolites (14)
Asteroids: see starfish.
Astylospongia: Ordovician, Minnesota, sponge (10)
Aulacoparia (Aulacoparina) impressa: new species, trilobite (96)
Aulacoparia (Praecoparia) wibauxensis: new subgenus, new species, trilobite (96)
Aurila conradi californica: lectotype designated, ostracod (11)
Aurila conradi floridana: lectotype established, ostracod (11)
Aurila dayii: lectotype designated, ostracod (11)
Austin Group: Cretaceous, Texas, foraminifers (37)
Australia: Devonian conodonts (57)
Australosutura georgiana: new species, trilobite (124)
Bairdia elongata: replaced name, ostracod (20)
Bairdia gerda: lectotype established, ostracod (11)
Bairdia lienenklausi: new name *pro B. elongata* Lienenklaus, ostracod (20)
Baja California: Recent ostracods (133)
Barnacles: Miocene, California (143)
Bassipterus virginicus: new genus, new species, eurypterid (90)
Bayhaium vallum: new species, coral (70)
Bermuda: Pleistocene gastropods (62)
Bibliography: fusulinids (135)
Biostratigraphy: relative usefulness of fossils (41)
Biradiolites: status of genus, pelecypod (42)
Birds: Pleistocene, Texas (141)
Bird Spring Group: Pennsylvanian and Permian, Nevada, fusulinids (36)
Bisons: horn cores and systematics (65)
Bivalves: see pelecypods.
Blastoids: Mississippian, ontogeny of *Orophocrinus* (99)
Boucotella gigantea: new genus, new combination, brachiopod (28)
Brachiopods: Silurian, Oklahoma (2), *Ehlersella* n. gen., various North American localities (24), *Lissocoelina* and its homeomorph *Plicocoelina* n. gen. (25), Malaya (26), *Boucotella* n. gen., West Virginia, Maryland (28), paleoecology (172); Devonian, Ghana (3), *Quadrikentron* n. subgen. (23), Nevada, ontogeny and distribution of *Stringocephalus* (27), Pennsylvania, Maryland, West Virginia (30), biostratigraphic significance of rhipidomellids (51), Nevada (54, 81, 82), *Stringocephalus*, Malaya (58); intraspecific variation in brachial cardinalia of *Atrypa reticularis* (29); Mississippian, Midcontinent area (60); Carboniferous, West Pakistan, *Waagenoconcha*, spine arrangement and life habits (63); Ordovician, Texas (74), Oklahoma, Missouri (75), Montana, North Dakota (96); Cambrian, Vermont (137, 138); Miocene, California (143).
Brassicicephalinae: new subfamily, trilobite (137)
Brazil: Paleozoic gastropods (170)
British Columbia: Permian algae (85)
Bryozoans: Ordovician, revision of *Monticulipora, Peronopora, Heterotrypa, Dekayia* (18), Newfoundland (53), validity of name *Stictopora* (132); designation of lectotypes (64); Miocene, California (143); Mississippian, Ireland (153); new name for *Fenestella rectangularis* (159)
Bufina: Devonian, New York, Ohio, Michigan, Ontario, ostracod (114)
Bufina abbreviata: new species, ostracod (114)
Bufina ellipsoides: new species, ostracod (114)
Bufina eminata: new species, ostracod (114)
Bufina? monospinota: new species, ostracod (114)
Bythocypris actites: lectotype established, ostracod (11)
Bythocypris elongata: replaced name, ostracod (20)
Bythocypris leroyi: new name *pro B. elongata* LeRoy, ostracod (20)
Calceocrinidae: functional morphology, crinoid (32)
Calceocrinus constrictus: new species, crinoid (32)
Calceocrinus multibifurcatus: new species, crinoid (32)
Calceocrinus pustulosus: new species, crinoid (32)
California: Triassic nautiloids (61); Pliocene echinoids (68); Cretaceous ammonoids (86), foraminifers (100);

Permian fusulinids (130); Miocene pelecypods, gastropods, scaphopods, brachiopods, bryozoans, barnacles, fish (143); Devonian conodonts (171)
Calliasterella americana: new species, starfish (87)
Callopegma pessagnoi: new species, sponge (79)
Cambrian: *Camptostoma,* supposed scyphozoan referred to echinoderms (50); algal stromatolites, Missouri (78); algae, Texas (83); trilobites, North America (117); sponges, Utah (125); gastropods, brachiopods, trilobites, cystids, *incertae sedis,* Vermont (137); brachiopods, gastropods, trilobites, Vermont (138); monoplacophorans, Missouri (146)
Camels: Pleistocene, northern Sudan (56)
Camelus bactrianus: camel, relationship to *C. thomasi* (56)
Camelus thomasi: Pleistocene, northern Sudan, camel (56)
Camptostroma: Cambrian, referred to echinoderms (50)
Cancellaria (Euclia?): new species, gastropod (1)
Candona faba: lectotype established, ostracod (11)
Candona novacaudata: lectotype established, ostracod (11)
Candona subtriangulata: lectotype established, ostracod (11)
Cape (Fernvale) Limestone: Ordovician, Oklahoma, Missouri, brachiopods (75)
Carboniferous: medusoids, Egypt (6); brachiopods, West Pakistan (63); spores, pollen, Pennsylvania (67); stigmata in scorpions (158)
Carboniferous Limestone: Mississippian, Ireland, bryozoans (153)
Castaic Formation: Miocene, California, pelecypods, gastropods, scaphopods, brachiopods, echinoids, bryozoans, barnacles, fish (143)
Cavusgnathus: clarification of concept of type species, conodont (121)
Cavusgnathus alta: clarification of concept of species, conodont (121)
Cavusgnathus spatha: new species, conodont (48)
Cavusgnathus transitoria: new species, conodont (48)
Cenozoic: foraminifers, wall structure, systematics, phylogeny (95)
Centropleura vermontensis: emended description, trilobite (138)
Cephalopods (undifferentiated): Ordovician, Montana, North Dakota (96); reassignment of Cambrian forms to Monoplacophora (146)
Chaetetes milleporaceous: redescription from topotypes, coral (92)
Charophytes: Miocene, Mexico (44); Pennsylvanian, Kansas (98)
Chester Series: Mississippian, population studies, ostracods (105)
Chiodrillia squamosa: new genus, new combination, gastropod (165)
Chitinozoans: Classification (150)
Chitons: Ordovician, Iowa (134)
Cholopilus? bradleyi: new species, trilobite (139)
Cibicides compressus Olsson: suppressed name, foraminifer (144)
Cirripedes: Ordovician, Montana, North Dakota (96)
Climacograptus hastatus: designation of lectotype, local populations, graptolite (13)
Cobourg Formation: Ordovician, Ontario, conodonts (163)
Coelenterata: compared with graptolites (91)
Coleoid cephalopods: Mississippian, classification (59)
Colorado: Oligocene lake deposits, insect locality (49); Eocene tapiroids (116)
Conodonts: Devonian, Iowa (4), Nevada, Utah (38), Australia (57), Ontario (164), California (171); Late Silurian or Early Devonian, West Pakistan (8); Pennsylvanian, Nevada, Texas, Oklahoma (48); Pennsylvanian, Permian, Triassic, *Gondolella,* various localities (39); Ordovician, Montana, North Dakota (96), Manitoba (112), Maine (149), Ontario (163); clarification of type species of *Cavusgnathus* (121); compared with scolecodonts (136)
Cope's Rule: considered with respect to Precambrian and Cambrian invertebrate fossils (110)
Copytus elongatus: lectotype designated, ostracod (11)
Corals: Pennsylvanian, Nebraska (52); Devonian, Nevada (54); Permian, Nevada (70); redescription of *Chaetetes milleporaceous* (92); Recent, Florida (140)
Cornwallatia: new name, coral (70)
Cornwallia: suppressed name, coral (70)
Costa variabilocostata muhlemanni: new subspecies, ostracod (19)
Crabs: Paleocene, Texas (46)
Cretaceous: reptiles, New Jersey (7); foraminifers, India (16), Texas (37), California (100); ostracods, transfer of types (72); sponges, Puerto Rico (79); ammonoids, California (86)
Crinoids: functional morphology of Calceocrinidae (32); Pennsylvanian, Kentucky (148)
Croftiella ovalis mexicana: new subspecies, charophyte (44)
Crossacanthia macknighti: new genus, new species, brachiopod (60)
Crossacanthia perlamellosa: new genus, new species, brachiopod (60)
Crustaceans: Paleocene, Texas (46); *Pseudodontichthys,* not a fish (128); Pleistocene, Texas (141)
Cyprideis bensoni: new species, ostracod (133)
Cyprideis (Goerlichia) castus: lectotype established, ostracod (11)
Cyprideis (Goerlichia) miguelensis: lectotype established, ostracod (11)
Cyprideis (Goerlichia) stewarti: lectotype established, ostracod (11)
Cystids: Cambrian, Vermont (137)
Cytherella banda: lectotype established, ostracod (11)
Cytherella grossmani: lectotype established, ostracod (11)
Cytherella knysnaensis: lectotype designated, ostracod (11)

Cytheropteron ensenadense: lectotype established, ostracod (11)
Cytherura bajacala: lectotype established, ostracod (11)
Declinognathus nevadensis: new genus, new species, conodont (48)
Dekayia: revision of genus, bryozoan (18)
Dentinella primaeva: new genus, new species, annelid (96)
Desmograptus cancellatus: Ordovician, Minnesota, graptolite (9)
Detroit River Group: Devonian, brachiopods (51)
Devonian: brachiopods, Ghana (3), *Quadrikentron* n. subgen. (23), Nevada (27, 81, 82), Pennsylvania, Maryland, West Virginia (30), biostratigraphic significance of rhipidomellids (51), *Stringocephalus*, Malaya (58); conodonts, Iowa (4), West Pakistan (8), biostratigraphy, Nevada, Utah (38), Australia (57), Ontario (164), California (171); stromatoporoids, corals, brachiopods, Nevada (54); pelecypods, Antarctica (103); ostracods, New York, Ohio, Michigan, Ontario (114); chitinozoans, classification (150)
Devonian—Mississippian boundary: defined by conodonts, Iowa (4)
Dillerites shastensis: new genus, new species, nautiloid (61)
Dimorphoceratoides campbellae: new genus, new species, ammonoid (55)
Dinoflagellates: Jurassic, France (147)
Diphuicrinidae: new family, crinoid (148)
Diphuicrinus: genus redefined, crinoid (148)
Diphuicrinus patina: new species, crinoid (148)
Diplotrypa schucherti: new species, bryozoan (53)
Diplozyga rossi: new species, trilobite (139)
Distacodus mucrus: new species, conodont (163)
Dithyrocaris: supposed fish remains (*Pseudodontichthys*) included within, crustacean (128)
Dominican Republic: Miocene gastropods (165)
Drepanopterus nodosus: new species, eurypterid (90)
Duodecimedusina aegyptiaca: new species, medusoid (6)
Durania: status of genus, pelecypod (42)
Dystactospongia madisonensis: microstructure and classification, sponge (126)
Dyticospirifer mccolleyensis: new genus, new species, brachiopod (81)
Echinoderms: Cambrian, *Camptostroma* (50)
Echinoids: Pliocene, California (68); Mississippian, growth pattern in *Lepidesthes formosa* (88); crystallographic data for coronal plates (119); Miocene, California (143)
Ecology and paleoecology: Late Silurian or Early Devonian, conodonts, West Pakistan (8); Cretaceous—Paleocene, foraminifers, India (16); Miocene, ostracods, Venezuela (19); Devonian, brachiopods (27), Pennsylvania, Maryland, West Virginia (30), *Stringocephalus* biostrome, Nevada (54), conodonts, Australia (57), Ontario (164), pelecypods, Antarctica (103); Cretaceous, foraminifers, Texas (37); Oligocene, insects, Colorado (49); Carboniferous, *Waagenoconcha*, brachiopod, spine arrangement and life habits (63); Cambrian, Ordovician, algal stromatolites, Missouri (78); Pliocene, echinoids, California (68); Silurian, scorpions, New York (89), brachiopods (172); Cenozoic foraminifers (95); Recent, corals, Florida (140); Pleistocene, invertebrates, vertebrates, Texas (140), pelecypods, gastropods, Ontario (173); Ordovician, *Nuia*-bearing beds, Texas (155)
Ectoprocts: see bryozoans.
Egypt: Carboniferous medusoids (6); Eocene foramifers (142)
Ehlersella: new genus, brachiopod (24)
Elbow Ridge Sandstone: Devonian, Pennsylvania, Maryland, West Virginia, brachiopods (30)
El Paso Group: Ordovician, Texas, problematical micro-organism (155)
Elphidium: Recent, Long Island Sound, discrimination of morphological groups (34)
Eocene: tapiroids, Wyoming, Colorado (116); foraminifers, Egypt (142)
Eocrinoids: Ordovician, Montana, North Dakota (96)
Eoligonodina? winnipegensis: new species, conodont (112)
Eolithoporella dawsoni: new genus, new species, alga (84)
Eoschubertella glendalensis: new species, fusulinid (36)
Erettopterus (Truncatiramus) exophthalmus: new species, eurypterid (90)
Eubiradiolites: new name *pro Biradiolites*, pelecypod (42)
Euglyphella: Devonian, New York, Ohio, Michigan, Ontario, ostracod (114)
Euglyphella abdita: new species, ostracod (114)
Euglyphella compressa lisa: new subspecies, ostracod (114)
Euglyphella compressa modesta: new subspecies, ostracod (114)
Euglyphella crossica: new species, ostracod (114)
Euglyphella parallela: new species, ostracod (114)
Euglyphella trialis: new species, ostracod (114)
Eurekaspirifer pinyonensis: new genus, new combination, brachiopod (81)
Eurypterids: Silurian, West Virginia (90)
Fenestella loganensis: new name *pro Fenestella rectangularis* (Crockford), bryozoan (159)
Fish: Permian, Texas (45); *Pseudodontichthys*, a crustacean (128); Pleistocene, Texas (141); Miocene, California (143)
Florida: Pliocene tortoises (5); Recent corals (140)
Foraminifers (exclusive of fusulinids): Recognition by dyes (12); Cretaceous—Paleocene, India (16); method of sorting (22); Recent, Long Island Sound (34); Cretaceous, Texas (37), California (100); Cenozoic, wall structure, systematics, phylogeny (95); Eocene, Egypt (142); *Gavelinella olssoni* new name *pro Cibicides compressus* (144)
France: Jurassic dinoflagellates (147)
Fusulina clarkensis: new species, fusulinid (36)

Fusulinids: Pennsylvanian, Permian, Nevada (36); Permian, California (130), Texas, New Mexico (162); bibliography (135); Pennsylvanian, *Thompsonella*, wall terminology (145)
Gastropods: Tertiary, Oregon, Washington (1); Pleistocene, Bermuda (62), Texas (141), Ontario (173); Ordovician, Montana, North Dakota (96), operculum in *Helicotoma* (167); Cambrian, Vermont (137, 138); Miocene, California (143), Dominican Republic (165); Paleozoic, Brazil (170)
Gavelinella olssoni: new name *pro Cibicides compressus*, foraminifer (144)
Geochelone: Pliocene, Florida, tortoise (5)
Geochelone alleni: new species, tortoise (5)
Geolabis: status of name, insectivore (40)
Georgia: Mississippian trilobites (124)
Ghana: Devonian brachiopods (3)
Globotruncana roddai: new species, foraminifer (100)
Gnathodus defectus: new species, conodont (48)
Gondolella: Pennsylvanian, Permian, Triassic, stratigraphic, geographic, evolutionary development, new description, conodont (39)
Graptolites: Ordovician, Minnesota (9), Montana, North Dakota (96), Newfoundland (107), Quebec (127); *Climacograptus hastatus*, designation of lectotype, local populations (13); Silurian, Kashmir (15); structure and relationships (91)
Grypocrinus multibrachiatus: new species, crinoid (32)
Gulf of Mexico: Recent ostracods (133)
Halysiocrinus septarmatus: new species, crinoid (32)
Halysiocrinus springeri: new species, crinoid (32)
Haminoea articensis: new species, gastropod (1)
Haplocytheridea gigantea: lectotype established, ostracod (11)
Haplocytheridea maia: lectotype established, ostracod (11)
Haplocytheridea palda: lectotype established, ostracod (11)
Hebertella occidentalis montoyensis: new subspecies, brachiopod (74)
Hedbergella beegumensis: new species, foraminifer (100)
Hedbergella murphyi: new species, foraminifer (100)
Hedbergella quadrata: new species, foraminifer (100)
Helicotoma: presence of operculum, gastropod (167)
Hemicytherura sablensis: lectotype established, ostracod (11)
Hesperorthis kirki: new species, brachiopod (74)
Heterotrypa: revision of genus, bryozoan (18)
Highgate Formation: Ordovician, Vermont, ostracods (43), trilobites (139)
Himalayas: Silurian graptolites (15)
Holodontus primitivus: new species, conodont (163)
Idiognathodus humerus: new species, conodont (48)
Idiognathus incurvus: new species, conodont (48)
Illinois: Pennsylvanian starfish (87)
Incertae sedis: Cambrian, Vermont (137)
India: Cretaceous—Paleocene foraminifers (16)
Indiana: Ordovician graptolites (14), sponges (126)
Infra-Trappean beds: Cretaceous—Paleocene, India, foraminifers (16)
Insectivores: status of generic names *Metacodon* and *Geolabis* (40)
Insects: Oligocene, Colorado (49); Pleistocene, Texas (141)
International Commission on Zoological Nomenclature: announcements (166, 168, 169)
Iowa: Ordovician chitons (134)
Ireland: Mississippian bryozoans (153)
Ischyromys: occurrence in Nebraska, rodent (77)
Isochilina: Ordovician, Vermont, ostracod (43)
Jurassic: reptiles, Oregon (35); dinoflagellates, France (147)
Kansas: Pennsylvanian charophytes (98)
Kashmir: Silurian graptolites (15)
Kentucky: Pennsylvanian ammonoids (55), crinoids (148)
Keyser Limestone: Silurian, Maryland, West Virginia, brachiopods (28)
Kierionopsis nodosa: new genus, new species, crab (46)
Kionoceras ungeri: Pennsylvanian, Ohio, Pennsylvania, nautiloid (109)
Krithe elongata: replaced name, ostracod (19)
Krithe lambi: new species, ostracod (19)
Krithe prolixa: new name *pro K. elongata*, ostracod (19)
Krithe swaini: lectotype designated, ostracod (11)
Ladjia cordillera: new species, brachiopod (54)
Lepidesthes formosa: growth pattern, echinoid (88)
Lepidocyclus: Ordovician, Oklahoma, Missouri, brachiopod (75)
Lepidocyclus cooperi: new species, brachiopod (75)
Lepidocyclus oblongus: new species, brachiopod (75)
Lesser Antilles: Oligocene ostracods (21)
Lévis Formation: Ordovician, Quebec, graptolites (127)
Limnocythere friabilis: lectotype designated, ostracod (11)
Limnosceloides brachycoles: new species, reptile (93)
Lissocoelina: Silurian, brachiopod (25)
Lloydia (Leiostegium) valmyensis: new species, trilobite (96)

Long Island Sound: Recent foraminifers (34)
Long Point Formation: Ordovician, Newfoundland, bryozoans (53)
Lost Burro Formation: Devonian, California, conodonts (171)
Lower Kittanning Coal: Carboniferous, Pennsylvania, spores, pollen (67)
Loxoconcha megapora: lectotype designated, ostracod (11)
Loxoconcha parameridionalis: lectotype designated, ostracod (11)
Loxoconcha sarasotana: lectotype established, ostracod (11)
Lunularia claibornica: lectotype established, bryozoan (64)
Lunularia grandipora: lectotype established, bryozoan (64)
Lunularia jacksonensis: lectotype established, bryozoan (64)
Lunularia ligulata: Lectotype established, bryozoan (64)
Lunularia ovata: lectotype established, bryozoan (64)
Lunularia tintinabula: lectotype established, bryozoan (64)
Lunularia tubifera: lectotype established, bryozoan (64)
Lunularia verrucosa: lectotype established, bryozoan (64)
"Lytospira" ornata: new species, gastropod (96)
Maine: Ordovician conodonts (149)
Malaya: Silurian brachiopods (26); Devonian brachiopods (58)
Mammals: biron horn cores and systematics (65); *Pataecops*, new name *pro Pataecus* (115); Eocene, Wyoming, Colorado (116). Pleistocene, Texas (141)
Manitoba: Ordovician conodonts (112)
Maquoketa Formation: Ordovician, Minnesota, graptolites (9), sponges)10)
Marcouella pinguis: new genus, new combination, trilobite (139)
Maryland: Silurian brachiopods (28); Devonian brachiopods (30)
Medusoids: Carboniferous, Egypt (6)
Mesozoic: ammonoids, recent literature (66)
Metacodon: status of name, insectivore (40)
Mexico: Miocene charophytes (44)
Michigan: Devonian ostracods (114)
Microcardinalia protriplesiana: new species, brachiopod (2)
Minnesota: Ordovician graptolites (9), sponges (10)
Miocene: ostracods, Venezuela (19); charophytes, Mexico (44); pelecypods, gastropods, scaphopods, brachiopods, echinoids, bryozoans, barnacles, fish, California (143); gastropods, Dominican Republic (165)
Mississippian: Devonian—Mississippian boundary defined by conodonts, Iowa (4); coleoid cephalopods, classification (59); brachiopods, Midcontinent area (60); algae, Alberta (84); growth pattern in *Lepidesthes formosa*, echinoid (88); ontogeny of blastoids (99); population studies, ostracods (105); sponges, Arkansas (111); trilobites, Georgia (124); bryozoans, Ireland (153)
Missouri: Ordovician brachiopods (75); Cambrian, Ordovician algal stromatolites (78); Cambrian monoplacophorans (146)
Monoplacophorans: Cambrian, Missouri (146)
Montana: Ordovician sponges, eocrinoids, brachiopods, gastropods, cephalopods, annelids, trilobites, cirripedes, graptolites, conodonts (96)
Monticulipora: revision of genus, bryozoan (18)
Montoya Group: Ordovician, Texas, brachiopods (74)
Moore Pit fauna: Pleistocene, Texas (141)
Nannoceratopsis spiculata: new species, dinoflagellate (147)
Nassarius hoquiamensis: new species, gastropod (1)
Natica (Natica) vokesi: new species, gastropod (1)
Nautiloids: Triassic, California (61); Pennsylvanian, Ohio, Pennsylvania (109)
Nebraska: Pennsylvanian corals (52); Oligocene rodents (77)
Neodimorphoceratinae: new subfamily, ammonoid (55)
Nevada: Devonian brachiopods (27, 81, 82), conodonts, biostratigraphy (38), stromatoporoids, corals, brachiopods (54); Pennsylvanian and Permian fusulinids (36); Pennsylvanian conodonts (48); Permian corals (70)
Newfoundland: Ordovician bryozoans (53), graptolites (107)
New Jersey: Cretaceous reptiles (7)
New Mexico: Permian reptiles (93), fusulinids (162); Pennsylvanian fusulinids (145)
New York: Silurian scorpions (89); Devonian ostracods (114)
North America: Cambrian trilobites, revision of species of *Pagetia* (117)
North Dakota: Ordovician sponges, eocrinoids, brachiopods, gastropods, cephalopods, annelids, trilobites, cirripedes, graptolites, conodonts (96)
Nucula salmonensis: new species, pelecypod (1)
Nuia: Ordovician, Texas, problematical micro-organism (155)
Nuia: Cambrian, Texas, alga (83)
Nuia siberica: genus and species emended, *problematicum* (155)
Nuixa texana: new species, alga (83)
Oculomagnus obreptus: new genus, new species, trilobite (96)
Ogygopsis: antennae, trilobite (71)
Ohio: Pennsylvanian nautiloids (109); Devonian ostracods (114)
Oklahoma: Silurian brachiopods (2); Pennsylvanian conodonts (48); Ordovician brachiopods (75)
Oligocene: ostracods, Lesser Antilles (21); lake deposits, insect locality, Colorado (49); rodents, Nebraska (77)
Onchonotopsididae: new family, trilobite (138)
Onchonotopsis pergibba: emended description, trilobite (138)

Ontario: Devonian ostracods (114), conodonts (164); Ordovician conodonts (163); Pleistocene pelecypods, gastopods (173)
Ontogeny: Mississippian blastoids (99)
Ordovician: graptolites, Minnesota (9), Indiana (14), Newfoundland (107), Quebec (127); sponges, Minnesota (10), microstructure and classification of *Dystactospongia madisonensis* (126); bryozoans, revision of *Monticulipora, Peronopora, Heterotrypa, Dekayia* (18), Newfoundland (53), validity of name *Stictopora* (132); ostracods, Vermont (43); brachiopods, Texas (74), Oklahoma, Missouri (75); algal stromatolites, Missouri (78); sponges, eocrinoids, brachiopods, gastropods, cephalopods, annelids, trilobites, cirripedes, graptrolites, conodonts, North Dakota (96); conodonts, Manitoba (112), Maine (149), Ontario (163); chitons, Iowa (134); trilobites, Vermont (139), phylogeny and distribution (160); chitinozoans, classification (150); problematical micro-organism, Texas (155); gastropods, operculum in *Helicotoma* (167)
Oregon: Tertiary, gastropods, pelecypods (1); Jurassic reptiles (35)
Orophocrinus: genus emended, ontogeny, blastoid (99)
Orthograptus truncatus richmondensis: Ordovician, Indiana, graptolite (14)
Ostracods: designation of lectotypes (11); Miocene, Venezuela (19); new names (20); Oligocene, Lesser Antilles (21); *Isochilina*, Ordovician, Vermont (43); Cretaceous, transfer of types (72); Chester (Mississippian), population studies (105); Devonian, New York, Ohio, Michigan, Ontario (114); Recent, Gulf of Mexico, Baja California (133)
Otionella cava: lectotype established, bryozoan (64)
Otionella perforata: lectotype established, bryozoan (64)
Otionella tuberosa: lectotype established, bryozoan (64)
Ozarkodina: new species, conodont (163)
Pagetia: revision of species, trilobite (117)
Pagetia billingsi inermis: new subspecies, trilobite (117)
Pagetia quebecensis: new species, trilobite (117)
Pagetia rugosa: new species, trilobite (117)
Pagetia walcotti: new species, trilobite (117)
Palaeoneilo: discussion of genus, pelecypod (108)
Paleocene: foraminifers, India (16); crabs, Texas (46)
Paleoecology: see ecology and paleoecology.
Paleozoic: gastropods, Brazil (170)
Palmenella carida: lectotype established, ostracod (11)
Paracypris sablensis: lectotype established, ostracod (11)
Paracypris westfordensis: lectotype designated, ostracod (11)
Paragassizocrinus kendrickensis: new species, crinoid (148)
Pataecops: new name *pro Pataecus*, mammal (115)
Pataecus: suppressed name, mannal (115)
Patagonacythere longiducta antarctica: lectotype designated, ostracod (11)
Patinopecten: new species, pelecypod (1)
Pelecypods: Tertiary, Oregon, Washington (1); nomenclatural considerations (42); Devonian Antarctica (103); Pennsylvanian, discussion of genus *Palaeoneilo* (108); Pleistocene, Texas (141); Ontario (173); Miocene, California (143)
Pellucistoma scrippsi: lectotype established, ostracod (11)
Peltabellia willistoni: new species, trilobite (96)
Pennsylvania: Devonian brachiopods (30); Carboniferous spores, pollen (67); Pennsylvanian nautiloids (109)
Pennsylvanian: fusulinids, Nevada (36), New Mexico (145); conondonts, *Gondolella*, various localities (39), Nevada, Texas, Oklahoma (48); *Pseudozaphrentoides verticillatus*, coral, Nebraska (52); ammonoids, Kentucky (55), Alaska (156); starfish, Illinois (87); charophytes, Kansas (98); pelecypods, discussion of genus *Palaeoneilo* (108); nautiloids, Ohio, Pennsylvania (109); crinoids, Kentucky (148)
Perissocytheridea estuaria: lectotype designated, ostracod (11)
Perissocytheridea laevis: lectotype established, ostracod (11)
Permian: fusulinids, Nevada (36), California (130), Texas, New Mexico (162); *Gondolella*, conodont, various localities (39); fish, Texas (45); corals, Nevada (70); algae, Washington, British Columbia (85); reptiles, New Mexico (93); *Seymouria*, Utah (157)
Peronopora: revision of genus, bryozoan (18)
Phragmodus: new species A, conodont (163)
Phragmodus: new species B, condont (163)
Phragmodus: new species C, conodont (163)
Pilot Shale: Devonian, Nevada, brachiopods (82)
Piute Formation: Devonian, Nevada, stromatoporoids, corals, brachiopods (54)
Planulina bhatiaï: new species, foraminifer (16)
Plaesiomys subquadratus cutterensis: new subspecies, brachiopod (74)
Platyodon colobus fowleri: new subspecies, pelecypod (1)
Platyselma echinatum: new genus, new species, brachiopod (60)
Platyselma quapawense: new genus, new species, brachiopod (60)
Platyselma simplex: new genus, new species, brachiopod (60)
Platystrophia prayi: new species, brachiopod (74)
Playfordia: new genus, conodont (57)
Pleistocene: camels, northern Sudan (56); gastropods, Bermuda (62); pelecypods, gastropods, insects, crustaceans, fish, reptiles, amphibians, birds, mammals, Texas (141); pelecypods, gastropods, Ontario (173)
Plicocoelina occidentalis: new genus, new combination, brachiopod (25)
Pliocene: tortoises, Florida (5); echinoids, California (68)

"Plumulites" clarki: new species, *incertae sedis* (139)
Pollen: absence in Triassic sediments (33); Carboniferous, Pennsylvania (67)
Polygnathus deformis: new species, conodont (4)
Polytylites: population studies, Mississippian ostracods (105)
Polytylites websteri: new species, ostracod (105)
Precambrian: Cope's Rule considered with respect to invertebrate fossils (110)
Primatheca: new term, fusulinid wall structure (145)
Proscorpionidae: family emended, scorpion (89)
Proscorpius: genus emended, scorpion (89)
Protexanites thompsoni: new species, ammonoid (86)
Protospongia hicksi: Cambrian, Utah, sponge (125)
Pseudodontichthys: transferred to *Dithyrocaris* (crustacean), fish (128)
Pseudofusulina(?) arrowensis: new species, fusulinid (36)
Pseudofusulina logandalensis: new species, fusulinid (36)
Pseudoparalegoceras hansoni: new species, ammonoid (156)
Pseudopolymorphina devarapalleensis: new species, foraminifer (16)
Pseudozaphrentoides verticillatus: morphology and classification, Pennsylvanian, Nebraska, coral (52)
Pterobranchia: compared with graptolites (91)
Ptyocephalus montanensis: new species, trilobite (96)
Puerto Rico: Cretaceous sponges (79)
Puriana fissispinata: lectotype established, ostracod (11)
Puriana pacifica: lectotype established, ostracod (11)
Quadracythere regalia: lectotype established, ostracod (11)
Quadrikentron hudsonica camdenensis: new subgenus, new combination, brachiopod (23)
Quebec: Ordovician graptolites (127)
Recent: foraminifers, Long Island Sound (34); ostracods, Gulf of Mexico, Baja California (133); scolecodonts, microstructure (136); corals, Florida (140)
Rensselandia cloudi: new species, brachiopod (54)
Reptiles: Cretaceous, New Jersey (7); Jurassic, Oregon (35); Permian, New Mexico (93), Utah (157); Pleistocene, Texas (141)
Reubenella rex: new genus, new species, trilobite (96)
Reviews: (47, 69, 73, 76, 94, 97, 102, 104, 106, 113, 118, 122, 123, 129, 131, 151, 152, 154, 161)
Rhachistognathus prima: new genus, new species, conodont (48)
Rodents: Oligocene, Nebraska (77)
Rotalipora tehamaensis: new species, foraminifer (100)
Sakesaria cotteri: Eocene, Egypt, foraminifer (142)
Scaphander doliaris: new species, gastropod (1)
Scaphopods: Miocene, California (143)
Schaefferichthys leuderensis: new genus, new species, fish (45)
Schwagerina garlockensis: new species, fusulinid (130)
Schwagerina? hollandensis: new species, fusulinid (130)
Schwagerina moapaensis: new species, fusulinid (36)
Schwagerina paiutensis: new species, fusulinid (36)
Schwagerina randensis: new species, fusulinid (130)
Sclerochilus nasus: lectotype established, ostracod (11)
Scolecodonts: Recent and fossil, microstructure, compared with conodonts (136)
Scoloconcha: new genus, brachiopod (60)
Scorpions: Silurian, New York (89); stigmata in Carboniferous forms (158)
Scyphozoan: Cambrian, *Camptostroma* referred to echinoderms (50)
Selenaletes scopaeus: new species, mammal (116)
Sexual dimorphism: in *Seymouria*, reptile (157)
Seymouria: Permian, Utah, reptile (157)
Seymouria sanjuanensis: new species, amphibian——reptile (157)
Shell coiling: geometric analysis and general problems (120)
Silurian: brachiopods, phylogenetic position of *Microcardinalia protriplesiana* n. sp., Oklahoma (2), *Ehlersella* n. gen. (24), *Lissocoelina* and *Plicocoelina* n. gen. (25), Malaya (26), Maryland, Virginia, West Virginia (28), paleoecology (172); conodonts, West Pakistan (8); graptolites, Kashmir (15); scorpions, New York (89); eurypterids, West Virginia (90); chitinozoans, classification (150)
Skeels Corners Formation: Cambrian, Vermont, gastropods, brachiopods, trilobites, cystids, *incertae sedis* (137)
Smithsonian Institution: use of collections of invertebrate fossils (17)
Spathognathodus bipennatus nevadensis: new subspecies, conodont (38)
Sponges: Ordovician, Minnesota (10), Montana, North Dakota (96), Indiana (126); Cretaceous, Puerto Rico (79); Mississippian, Arkansas (111); Cambrian, Utah (125)
Spores: absence in Triassic sediments (33); Carboniferous, Pennsylvania (67)
St. Albans Shale: Cambrian, Vermont, brachiopods, gastropods, trilobites (138)
Starfish: Pennsylvanian, Illinois (87)
Stictopora: valid name, bryozoan (132)
Streptognathodus angustus: new species, conodont (48)
Streptognathodus anteecentricus: new species, conodont (48)
Streptognathodus parvus: new species, conodont (48)
Streptognathodus suberectus: new species, conodont (48)
Strigigenalis amerada: new species, trilobite (96)
Stringocephalus: brachiopod, ontogeny, distribution (27); Devonian, Malaya (58)

Stringocephalus biostrome: Devonian, Nevada, invertebrate faunas (54)
Stringocephalus nevadensis: new species, brachiopod (54)
Stringocephalus perakensis: new species, brachiopod (58)
Stromatolites: Cambrian, Ordovician, Missouri (78)
Stromatoporoids: Devonian, Nevada (54)
Sudan: Pleistocene camels (56)
Sulcostocythere knysnaensis: lectotype designated, ostracod (11)
Synodontites: status of genus, pelecypod (42)
Table Head Formation: Ordovician, Newfoundland, graptolites (107)
Tapiroids: Eocene, Wyoming, Colorado (116)
Taylor Group: Cretaceous, Texas, foraminifers (37)
Techniques: distinguishing foraminifers by dyes (12); sorting of foraminifers (22); mounting of palynological residues (31); palynological (33); preparing iron hydroxide plant petrifactions (101)
Tectochara ixtapensis: new species, charophyte (44)
Tectonatica? satsopensis: new species, gastropod (1)
Tegmates: considered as chitons (134)
Tegula ellenae: new species, gastropod (1)
Temnophyllum waltheri: new species, coral (54)
Tertiary: gastropods, pelecypods, Oregon, Washington (1)
Texas: Cretaceous foraminifers (37); Permian fish (45), fusulinids (162); Paleocene crabs (46); Pennsylvanian conodonts (48); Ordovician brachiopods (74), problematical micro-organism (155); Cambrian algae (83); Pleistocene pelecypods, gastropods, insects, crustaceans, fish, reptiles, amphibians, birds, mammals (141)
Thompsonella hatchetensis: new species, fusulinid (145)
Thompsonella ramani: new species, fusulinid (145)
Tortoises: Pliocene, Florida (5)
Trachyleberis bermudezi cebripustulosa: new subspecies, ostracod (19)
Triassic: absence of pollen and spores (33); conodonts, *Gondolella*, various localities (39); nautiloids, California (61)
Trichonodella sulcata: new species, conodont (112)
Trichotropis (*Ipinoe*) *goweri:* new species, gastropod (1)
Triebelina reticulopunctata: lectotype established, ostracod (11)
Trilobites: antennae in *Ogygopsis* (71); agnostid structures (80); Ordovician, Montana, North Dakota (96), Vermont (139), phylogeny, distribution (160); Cambrian, revision of *Pagetia* species, North America (117), Vermont (137, 138); Mississippian, Georgia (124)
Triticites birdspringensis: new species, fusulinid (36)
Triticites muddiensis: new species, fusulinid (36)
Turitella (*Idaella*) *yaquinana:* new species, gastropod (1)
Typhlokorynetes plana: new genus, new combination, trilobite (139)
Typhlokorynetidae: new family, trilobite (139)
Utah: Devonian conodonts, biostratigraphy (38); Cambrian sponges (125); Permian reptiles (157)
Venezuela: Miocene ostracods (19)
Vermont: Ordovician ostracods (43), trilobites (139); Cambrian gastropods, brachiopods, trilobites, cystids, *incertae sedis* (137), brachiopods, gastropods, trilobites (138)
Vermontella secunda: new species, trilobite (137)
Vintonia doris: new species, sponge (111)
Waagenoconcha: spine arrangement and life habits, brachiopod (63)
Warthia: occurrence in Brazil, gastropod (170)
Washington: Tertiary gastropods, pelecypods (1); Permian algae (85)
West Pakistan: Late Silurian or Early Devonian conodonts (8); Carboniferous brachiopods (63)
West Virginia: Silurian brachiopods (28), eurypterids (90); Devonian brachiopods (30)
Winnipeg Formation: Ordovician, Manitoba, conodonts (112)
Wyoming: Eocene tapiroids (116)
Xestoleberis banda: lectotype established, ostracod (11)

JOURNAL
OF
PALEONTOLOGY

VOLUME 40

T. G. PERRY
ROBERT H. SHAVER
PORTER M. KIER
WILLIAM A. OLIVER, JR.
EDITORS

PUBLISHED AT TULSA, OKLAHOMA
BY
THE SOCIETY OF ECONOMIC PALEONTOLOGISTS
AND MINERALOGISTS
WITH THE GENEROUS SUPPORT AND COOPERATION OF
THE AMERICAN ASSOCIATION OF PETROLEUM GEOLOGISTS
AND BY
THE PALEONTOLOGICAL SOCIETY

Volume 40 of THE JOURNAL OF PALEONTOLOGY was mailed on the following dates: No. 1—January 12, 1966; No. 2—March 31, 1966; No. 3—June 2, 1966; No. 4—July 26, 1966; No. 5—September 10, 1966; No. 6—November 23, 1966.